PIOC	PRADUIÇAL INFORMATION	GGG	1-3
BIOG	GRAPHICAL INFORMATION		
1.1	Age (Key: 19 years and younger =1 20 - 29 years =2 30 - 39 years = 3 40 - 49 years = 4 50 - 59 years = 5 Older than 50 years = 6	Q1.1 G	4
1.2	Sex (Key: Female =1 Male = 2)	Q1.2 G	5
1.3	What cultural group do you belong to? (Key: Zulu = 2		
		Q1.3 G	6
Spec	ify		
1.4	Are you employed? (Key: Yes = 1 No = 2)(proceed to question 1.7)	Q1.4 G	7
1.5	Who is your employer? (Key: National government department = 1 Provincial government department = 2 Local government department = 3 Private company = 4 Other = 5		·
Spec	ify		
1.6	What type of work do you do?		

1.7	What is you marital status? (Key: Single = 1 Married = 2 Divorced = 3)			
	,	Q1.7 G	10	
1.8	How many individuals are dependent on you for income and o	care? Q1.8 GG	11-12	
2	KNOWLEDGE OF TB			
2.1	What does TB stand for?			
2.2	Is TB an infectious disease? (Key: Yes = 1 No = 2 Do not know = 3)	Q2.2 G	13	
2.3	Can a person die of TB? (Key: Yes = 1 No = 2 Do not know = 3)	Q2.3 G	14	
2.4	What is the cause of TB?			
2.5	How would you recognise a person with TB?			

2.6	Which one of the following conditions is, in your opinion (Highest mortality rate per annum) (Key: TB = 1 HIV/AIDS = 2 Malaria = 3 Motor car accidents = 4 Violence = 5 Measles = 6)	on, the most serious.	
		Q2.6 G	16
2.7	How is TB spread? (Key: Yes = 1 No = 2 Uncertain = 3)		
2.7.1	Through sexual intercourse	Q2.7.1 G	17
2.7.2	By touching a TB sufferer	Q2.7.2 G	18
2.7.3	Using utensils used by TB sufferer	Q2.7.3 G	19
2.7.4	Breathing in the air	Q2.7.4 G	20
2.7.5 Speci	Other ways fy	Q2.7.5 G	21
2.8	Will all people infected with TB bacteria become ill? (Key: Yes = 1 No = 2 Do not know = 3)	Q2.8 G	22
2.9	Can TB be cured? (Key: Yes = 1 No = 2 Do not know = 3)		
	Do Hot Miow – 3)	Q2.9 G	23

(M	hich of the following are the first stark only the three most importantley: Yes = 1 No = 2 Uncertain = 3)	•	
2.10.1	Coughing	Q2.10.1 G	24
2.10.2	High fever	Q2.10.2 G	25
2.10.3	Severe fatigue	Q2.10.3 G	26
2.10.4	Weight loss	Q2.10.4 G	27
2.10.5	Chest pain	Q2.10.5 G	28
2.10.6	Night sweats	Q2.10.6 G	29
2.10.7	Coughing up blood	Q2.10.7 G	30
2.10.8	Enlarged glands	Q2.10.8 G	31
2.10.9	Other	Q2.10.9 $f G$	32
Specify			
	hich of the following are the later ree (3) symptoms. Mark with X	symptoms of TB? Do not mark more that	
2.11.1	Coughing	Q2.11.1 G	33
2.11.2	High fever	Q2.11.2 G	34
2.11.3	Severe fatigue	Q2.11.3 G	35
2.11.4	Weight loss	Q2.11.4 G	36
2.11.5	Chest pain	Q2.11.5 G	37
2.11.6	Night sweats	Q2.11.6 G	38
2.11.7	Coughing up blood	Q2.11.7 G	39
2.11.8	Enlarged glands	Q2.11.8 G	40
2.11.9	Other	Q2.11.9 G	41

2.12		of the following body parts are affected by TB? Yes = 1 No = 2 Uncertain = 3)			
2.12.1		Lungs		Q2.12.1 G	42
2.12.2		Spine		Q2.12.2 G	43
2.12.3		Heart		Q2.12.3 G	44
2.12.4		Blood		Q2.12.4 G	45
2.12.5		Kidneys		Q2.12.5 G	46
2.12.6		Other body parts		Q2.12.6 G	47
Specif	ý				
2.13		ong does it take to cure TB if a patient is taking honly one period.	is drugs	as prescribed	d?
2.13.1		One week		Q2.13.1 G	48
2.13.2		2-3 weeks		Q2.13.2 G	49
2.13.3		One month		Q2.13.3 G	50
2.13.4		2-3 months		Q2.13.4 G	51
2.13.5		4-5 months		Q2.13.5 G	52
2.13.6		More than 6 months	Q2.13.	6 G	53
2.14		s it important to complete the treatment for TB?			
		s drug resistant TB?			

	How does drug resistant TB develop?		
	Why do people interrupt their treatment?		
2.18	Can people who are HIV positive be successfully treated for To (Key: Yes =1 No =2 Uncertain = 3)	ГВ?	
		Q2.18 G	54
2.19	Is a patient who is taking TB drugs able to spread the disease (Key: Yes = 1 No = 2 Uncertain = 3)	e to other peop	le?
	,	Q2.19 G	55
2.20	Can a TB sufferer who is taking TB drugs go back to work? (Key: Yes = 1 No = 2 Uncertain = 3)		
		Q2.20 G	56
2.21	How is TB prevented?		

2.22	and no	of the following situations will in your opinion cause patient complete their TB treatment? (Choose the five most order of importance) Most important reason =1 Second most important reason = 2 Third most important reason = 3 Fourth most important reason = 4 Fifth most important reason = 5)		
2.22.1		Patient does not care about		
		own health	Q2.22.1 G	57
2.22.2	2	Patient does not believe disease		
		is serious	Q2.22.2 G	58
2.22.3	3	Does not understand TB	Q2.22.3 G	59
2.22.4	1	Does not understand treatment	Q2.22.4 G	60
2.22.5	5	Clinic hours are inconvenient	Q2.22.5 G	61
2.22.6	6	Clinic personnel unfriendly/uncaring	Q2.22.6 G	62
2.22.7	7	Not enough drugs in clinic	Q2.22.7 G	63
2.22.8	3	Long distance between clinic	•	
		and home/work	Q2.22.8 G	64
2.22.9)	Lack of funds for transport	Q2.22.9 G	65
2.22.1	10	Constant location change due to	_	
		varying workplace	Q2.22.10 G	66
2.22.1	11	Forget to attend clinic	Q2.22.11 G	67

2.22.12	Too ill to attend clinic	Q2.22.12 G	68
2.22.13	Frustrated to wait long hours at clinic	Q2.22.13 G	69
2.22.14	Do not want to go to clinic every time	Q2.22.14 G	70
2.22.15	Feels better and therefore discontinues treatment	Q2.22.15 G	71
2.22.16	Medication makes them feel ill	Q2.22.16 G	72
Other reaso	ns?		
2.23 Why	should a patient continue treatment even if he feels bette	r?	
there	often have you visited the clinic to collect your TB treatme are no medicine available? Very often = 1 Often = 2 Not very often = 3 Never, there are always medicine = 4)	ent just to learn	that
		Q2.24 G	73
	re did you obtain your knowledge of TB from? Yes:= 1 No: = 2)		
2.25.1	Nursing personnel	Q2.25.1 G	74
2.25.2	Medical practitioners	Q2.25.2 G	75
2.25.3	Family	Q2.25.3 G	76

2.25.4	1	Friends	Q2.25.4 G	77
2.25.5	5	Treatment supporter	Q2.25.5 G	78
2.25.6	6	Television	Q2.25.6 G	79
2.25.7	7	Radio	Q2.25.7 G	80
2.25.8	3	Magazines and news papers	Q2.25.8 G	81
2.25.9)	Other	Q2.25.9 G	82
Speci	fy			
3	_	PONDENT AS TB PATIENT ious infections)		
3.1		have you had your previous TB infection? (In years) More than ten years ago = 1 Between 6-9 years ago = 2 Between 3-5 years ago = 3 Between 1-2 years ago = 4 Less than one year ago = 5)		
		,	Q3.1 G	83
3.2	Why,	in your opinion were you not cured?		
3.3		ou discontinue the treatment before you were cured? Yes =1 No = 2 (<i>Please proceed to question 3.7</i>) Uncertain = 3 (<i>Please go to question 3.7</i>)		

		Q3.3 G	84
3.4	Why did you discontinue the treatment?		
3.5	What did the nurses do when you discontinued the treatment?		
3.6	Who supervised your treatment at that time? (Key: Nurses =1 Family =3 Friends = 3)		
	Nobody supervised my treatment = 4)	•	
		Q3.6 G	85
3.7	How would you rate the support you received from the followin during your illness. (Key: Very good = 1 Good = 2 Acceptable = 3 Poor = 4 Very poor = 5)	ng individuals	
3.7.1	Family	Q3.8.1 G	86
3.7.2	Friends	Q3.8.2 G	87
3.7.3	Employer	Q3.8.3 G	88
3.7.4	Members of the community Q3.8.	4 G	89
3.7.5	Treatment supporter	Q3.8.5 G	90

3.7.6	Nurses	Q3.8.6 G	91
3.7.7	Medical practitioners	Q3.8.7 G	92
3.8	How often did you consult a health professional? (Key: Daily =1 3-4 times a week =2 1-2 times a week = 3 A few times a month = 4 Once a month = 5 Less than once a month = 6	Q3.9 G	93
4	THE CURRENT INFECTION		
4.1	How long have you had TB this time? (Months)	Q4.1 GGG	94-96
4.1	How long have you had TB this time? (Months) How hopeful are you that you will be cured this time? (Key: 1 = very hopeful 2 = hopeful 3 = not hopeful 4 = have no hope what so ever)		
	How hopeful are you that you will be cured this time? (Key: 1 = very hopeful 2 = hopeful 3 = not hopeful	Q4.1 GGG Q4.2 G	94-96 97
	How hopeful are you that you will be cured this time? (Key: 1 = very hopeful 2 = hopeful 3 = not hopeful 4 = have no hope what so ever)	Q4.2 G	97

1-2 times a week = 3 A few times a month = 4 Once a month = 5 Less than once a month = 6

Q4.3**G** 98

4.4 Which of the following reasons will cause you to discontinue treatment before it has been completed?

(Key: Yes = 1 No = 2 Uncertain = 3)

4.4.1	You do not care about own health	Q4.4.1 G	99
4.4.2	You do not believe it is serious	Q4.4.2 G	100
4.4.3	You do not understand TB	Q4.4.3 G	101
4.4.4	You do not understand treatment	Q4.4.4 G	102
4.4.5	Clinic hours inconvenient	Q4.4.5 G	103
4.4.6	Clinic personnel unfriendly/uncaring	Q4.4.6 G	104
4.4.7	Not enough drugs in clinic	Q4.4.7 G	105
4.4.8	Long distance between clinic and home/work	Q4.4.8 G	106
4.4.9	Lack of funds for transport lack of transport	Q4.4.9 G	107

4.4.10)	Constant location change due to		
		varying workplace	Q4.4.10 G	108
4.4.11	l	Will forget to attend clinic	Q4.4.11 G	109
4.4.12	2	Too ill to attend clinic	Q4.4.12 G	110
4.4.13	3	Frustrated to wait long hours at clinic	Q4.4.13 G	111
4.4.14	1	Do not want to go to clinic every time	Q4.4.14 G	112
4.4.15	5	Discontinue treatment because you feel better	Q4.4.15 G	113
4.4.16	5	Medication make you ill	Q4.4.16 G	114
Other	reasor	ns?		
4.5		of the following medication are you taking at the momer Yes = 1 No = 2)	nt?	
4.5.1	Tarav	id	Q4.5.1 G	115
4.5.2	Ethan	nbutol	Q4.5.2 G	116
4.5.3	Ethior	ndmide	Q4.5.3 G	117
4.5.4	Cyclo	rene	Q4.5.4 G	118
4.5.5	INH		Q4.5.5 G	119

4.5.6	PZA	Q4.5.5 G	120
4.5.7	Rifampicin	Q4.5.5 G	121
4.5.8	Kanamycin	Q4.5.5 G	122
4.5.6	None of the above	Q4.5.6 G	123
4.5.7	Other	Q4.5.7 G	124
Speci	fy		
4.6	Has anyone explained the side effects of the medication you? (Key: Yes = 1 No =2)	•	
	140 –2)	Q4.6. G	125
4.7	What are the side effects you can expect when taking the TB	medicine?	
4.8	How often do you take your medicine? (Key: Mostly once a day = 1 Mostly three times a day = 2 Mostly twice a day = 3)	04.8 G	406
4.9	How many cigarettes do you smoke a day? (Key: 5-10 = 1	Q4.8 U	126
	. 30 0	Q4.9 G	127

How many glasses of alcohol do you drink per week? (Key: 1-5=16-10 = 211-15 = 316-20 = 4More than 20 = 4I never drink alcohol = 504.10**G** 128 How many times do you smoke dagga a week? 4.11 (Key: 1-5=16-10 = 211-15 = 316-20 = 4More than 20 = 4I never smoke dagga = 5 04.11**G** 129 5 THE STIGMA ATTACHED TO SOME DISEASES 5.1 Is there, in your opinion, a stigma attached to TB? (Key: Yes = 1No = 2I am not sure = 3) Q5.1**G** 130 If you are not employed, please proceed to question 5.7 5.2 Do the workers at your workplace know that you have TB? (Key: Yes =1 No = 2 (Go to question 5.4) Uncertain = 3 (Go to question 5.4) 05.2**G** 131 5.3 Do the workers at your workplace accept you even though they know you have TB? (Key: Yes =1 No = 2Uncertain = 3) 05.3**G** 132

Does your employer know that you have TB?

5.4

	(Key: Yes =1 No = 2 (Go to question 5.7) Uncertain = 3 (Go to question 5.7)	Q5.4 G	133
5.5	Does your employer treat you differently because of the TB? (Key: Yes = 1 No = 2)	•	
5.6	Explain his attitude towards you	Q5.5 G	134
5.7	Are you ashamed of the fact that you are suffering from TB? (Key: Yes =1 No = 2)	Q5.7 G	135
5.8	Explain your answer given on question 5.7		
5.9	Do the members of your community know that you have TB? (Key: Yes =1 (Answer question 5.10) No = 2 (Skip question 5.10 and go to question 5.11) Uncertain = 3) (Skip question 5.10 and go to question	· _	
		Q5.9 \mathbf{G}	136

5.10	Does	the community accept you even though they know	you have TB?	
	(Key:	Yes =1 No = 2)		
			Q5.10 G	137
5.11	during	would you rate the support you received from the f your illness. 1= very good 2 = good 3 = acceptable 4 = poor 5 = very poor)	ollowing individuals	
5.11.1		Family	Q5.11.1 G	138
5.11.2		Friends	Q5.11.2 G	139
5.11.3		Employer	Q5.11.3 G	140
5.11.4		Members of the community	Q5.11.4 G	141
5.11.5		Treatment supporter	Q5.11.5 G	142
5.11.6		Nurses	Q5.11.6 G	143
5.11.7		Medical practitioners	Q5.11.7 G	144
5.12	What	do you think should these individuals do more to	support you?	

6 INFORMATION ABOUT THE TREATMENT SUPPORTER

6.1 When taking your medication who supervises you? (Key: Family = 1

Friends = 2 Nursing staff = 3 Medical staff = 4)

Q6.1**G** 145

6.2 Who decided that this individual should be your treatment supporter?

(Key: Nurse = 1

Medical doctor = 2

 $I \operatorname{did} = 3$

A member of my family = 4

One of my friends = 5

Q6.2**G** 146

6.3. Where you involved in this decision?

(Key: Yes =1

No = 2

Q6.3**G** 147

6.4 How often does your treatment supporter observe as you take your medication? (Key: Less than once a week = 1

Once a week = 2

1-2 times a week = 3

3-4 times a week = 4

5-6 times a week = 5

Once a day = 6

Twice a day = 7

Three times a day = 8

Q6.4**G** 148

6.5 Does your treatment supporter need to walk far to observe that you are taking your medication?

(Key: Yes = 1

No = 2

Q6.5**G** 149

6.7 How often does your treatment supporter complain about the extra responsibility

of observing your treatment? (Key: Always complaining = 1 Not to often = 2 Never = 3)

Q6.7**G** 150

6.8 Do you think that your treatment supervisor has enough knowledge of the following?

(Key: Yes = 1 No = 2 Uncertain = 3)

6.8.1	The signs and symptoms of TB?	Q6.8.1 G	151
6.8.2	Importance of taking the treatment regularly?	Q6.8.2 G	152
6.8.3	How to prevent TB?	Q6.8.3 G	153
6.8.4	How to treat TB?	Q6.8.4 G	154
6.8.5	The side effects of the drugs?	Q6.8.5 G	155
6.8.6	How to monitor a patient taking the treatment?	Q6.8.6 G	156
6.8.7	What to do when a patient defaults?	Q6.8.7 G	157

7 COMPARISON OF PREVIOUS AND CURRENT INFECTION

Please compare the treatment you received during your previous infection with the treatment you received during your current infection by using the following key

(Key: It was better during the previous infection = 1
It is better during the current infection = 2
No difference = 3)

7.1	Your knowledge of TB (the disease)?		158
	reason for your answer		
	Your knowledge of treatment of TB?	Q7.2 G	159
Give	reason for your answer		
7.3	Service provided by the medical and nursing personnel?	Q7.3 G	160
Give	reason for your answer		

	Service provided by the treatment supporter?	Q7.4 G	161
Give	reason for your answer		
7.5	Support given to you by other members of the community	Q7.5 G	162
Give	reason for your answer		
7.6	Availability of medication?	Q7.6 G	163
Give	reason for your answer		
7.7	Affordability of treatment?	Q7.7 G	164
Give	reason for your answer		
7.8.	Availability of health services?	Q7.8 G	165
Give	reason for your answer		
7.9	Your compliance to the treatment?	Q7.9 G	166

Give r	eason for your answer		
7.10	The support received form other people?	Q7.10 G	167
	eason for your answer		
7.11	Medication provided for the treatment of TB?	Q7.11 G	168
Give r	reason for your answer		
	Your family's knowledge of TB?	Q7.12 G	169
Give r	eason for your answer		
8	YOUR OPINION OF THE DOTS STRATEGY		
8.1	When have you heard about the DOTS strategy the first time?		
8.2	Where did you hear about the DOTS strategy? (Key: Yes:= 1 No: = 2)		
8.2.1	Nursing personnel	Q8.2.1 G	170

8.2.2	Medical practitioners	Q8.2.	2 G 1
8.2.3	Family	Q8.2.3 G	172
8.2.4	Friends	Q8.2.4 G	173
8.2.5	Treatment supporter	Q8.2.5 G	174
8.2.6	Television	Q8.2.6 G	175
8.2.7	Radio	Q8.2.7 G	176
8.2.8	Magazines and news papers	Q8.2.8 G	177
8.2.9	Other	Q8.2.9 G	178
Speci	fy		
8.3	What is the DOTS strategy about?		
8.4	Do you think that you have a role to play in the DOTS strategy? (Key: Yes = 1 No = 2) Uncertain =3)	•	
Evoloi	n vour answer	Q8.4 G	179
Lypiai	n your answer		

8.5	Do yo	u think that the DOTS strategy should continue?		
	(Key:	Yes=1 (answer question 8.6) No=2 (skip question 8.6 and go to question 8.7) Uncertain=3) (skip question 8.6 and go to question	8.7)	
			Q8.5 G	180
8.6	Why d	lo you think that the DOTS strategy should continue?		
8.7	Why d	lo you think that the DOTS strategy should not continu	ue?	
8.8		method would you prefer? Yes=1		
		No=2 Uncertain=3)		
	•		22.2.C	404
8.8.1	Super	vision when taking your treatment	Q8.8.1 G	181
8.8.2	To be	left alone to take your treatment yourself Q8	3.8.1 G	182
8.9	Did the	e DOTS strategy affect your health/condition/illness in	n any way?	
	(Key:	Yes=1 (answer question 8.10) No=2 (skip question 8.10 and go to question 8.11) Uncertain=3) (skip question 8.10 and go to question		
			Q8.9 G	183
8.10	Explai	n how the DOTS strategy has affected your health/co	ondition/illness	

8.11	Explain why you believe that the DOTS strategy have not affer health/condition/illness	ected your	
8.12	Do you think that the DOTS strategy could improve? (Key: Yes=1 No=2)		
		Q8.12 G	184
8.13	How do you think can the DOTS strategy improve?		

THANK YOU FOR YOUR TIME