



The South African Institute of Computer Scientists  
and  
Information Technologists

# **Proceedings**

**of the**

**1996 National Research and  
Development Conference**

**Industry meets Academia**

Interaction Conference Centre, University of Natal,  
Durban .  
26 & 27 September

**Edited by  
Vevek Ram**

©1996 Copyrights reside with the original authors who may be contacted directly

**ISBN 0-620-20568-7**

Cover printed by Natal Printers (Pty) Ltd, Pietermaritzburg

Copying by the Multicopy Centre, University of Natal, Pietermaritzburg

Binding by Library Technical Services, University of Natal, Pietermaritzburg

The views expressed in this book are those of the individual authors

## FOREWORD

This book is a collection of papers presented at the National Research and Development Conference of the Institute of Computer Scientists and Information Technologists, held on 26 & 27 September, at the Interaction Conference Centre, University of Natal, Durban. The Conference was organised by the Department of Computer Science and Information Systems of The University of Natal, Pietermaritzburg.

The papers contained herein range from serious technical research to work-in-progress reports of current research to industry and commercial practice and experience. It has been a difficult task maintaining an adequate and representative spread of interests and a high standard of scholarship at the same time. Nevertheless, the conference boasts a wide range of high quality papers. The program committee decided not only to accept papers that are publishable in their present form, but also papers which reflect this potential in order to encourage young researchers and to involve practitioners from commerce and industry.

The organisers would like to thank IBM South Africa for their generous sponsorship and all the members of the organising and program committees, and the referees for making the conference a success. The organisers are indebted to the Computer Society of South Africa (Natal Chapter) for promoting the conference among its members and also to the staff and management of the Interaction Conference Centre for their contribution to the success of the conference.

On behalf of the Organising Committee

Vevek Ram

Editor and Program Chair

Pietermaritzburg, September 1996

## **Organising Committee**

### **Conference General Chairs**

Mr Rob Dempster and Prof Peter Warren (UNP)

### **Organising Chair**

Dr Don Petkov (UNP)

### **Secretariat**

Mrs Jenny Wilson

### **Program Chair**

Prof Vevek Ram (UNP)

### **Program Committee**

Prof Peter Wentworth, Rhodes  
Dr Milan Hajek, UDW  
Prof Derek Smith, UCT  
Prof Anthony Krzesinski, Stellenbosch  
Dr Don Petkov, UNP  
Mr Rob Dempster, UNP  
Prof Peter Warren, UNP

# Table of Contents

Foreword	i
Organising Committee	ii
List of Contributors	vi
<b>Keynote Speaker</b>	
<i>The Role of Formalism in Engineering Interactive Systems</i> M D Harrison and D J Duke	1
<b>Plenary</b>	
<i>Industry-Academic-Government Cooperation to boost Technological Innovation and People Development in South Africa</i> Tjaart J Van Der Walt	15
<i>Checklist support for ISO 9001 audits of Software Quality Management Systems</i> A J Walker	17
<i>The IS Workers, they are a-changin'</i> Derek Smith	29
<b>Research</b>	
<i>Examination Timetabling</i> E Parkinson and P R Warren	35
<i>Generating Compilers from Formal Semantics</i> H Venter	43
<i>Efficient State-exploration</i> J. Geldenhuys	63
<i>A Validation Model of the VMTP Transport Level Protocol</i> H.N. Roux and P.J.A. de Villiers	75
<b>Intelligent Systems</b>	
<i>Automated Network Management using Artificial Intelligence</i> M Watzelboeck	87
<i>A framework for executing multiple computational intelligent programs using a computational network</i> H L Viktor and I Cloete	89
<i>A Script-Based prototype for Dynamic Deadlock Avoidance</i> C N Blewett and G J Erwin	95
<i>Parallelism: an effective Genetic Programming implementation on low-powered Mathematica workstations</i> H. Suleman and M. Hajek	107
<i>Feature Extraction Preprocessors in Neural Networks for Image Recognition</i> D Moodley and V Ram	113

## **Real-Time Systems**

*The real-time control system model - an Holistic Approach to System Design* 119  
T Considine

*Neural networks for process parameter identification and assisted controller tuning for control loops* 127  
M McLeod and VB Bajic

*Reference Model for the Process Control Domain of Application* 137  
N Dhevcharran, A L Steenkamp and V Ram

## **Database Systems**

*The Pearl Algorithm as a method to extract information out of a database* 145  
J W Kruger

*Theory meets Practice: Using Smith's Normalization in Complex Systems* 151  
A van der Merwe and W Labuschagne

*A Comparison on Transaction Management Schemes in Multidatabase Systems* 159  
K Renaud and P Kotze

## **Education**

*Computer-based applications for engineering education* 171  
A C Hansen and P W L Lyne

*Software Engineering Development Methodologies applied to Computer-Aided Instruction* 179  
R de Villiers and P Kotze

*COBIE: A Cobol Integrated Environment* 187  
N Pillay

*The Design and Usage of a new Southern African Information Systems Textbook* 195  
G J Erwin and C N Blewett

*Teaching a first course in Compilers with a simple Compiler Construction Toolkit* 211  
G Ganchev

*Teaching Turing Machines: Luxury or Necessity?* 219  
Y Velinov

## **Practice and Experience**

*Lessons learnt from using C++ and the Object Oriented Approach to Software Development* 227  
R Mazhindu-Shumba

*Parallel hierarchical algorithm for identification of large-scale industrial systems* 235  
B Jankovic and VB Bajic

## **Information Technology and Organizational Issues**

<i>A cultural perspective on IT/End user relationships</i> A C Leonard	243
<i>Information Security Management: The Second Generation</i> R Von Solms	257
<i>Project Management in Practice</i> M le Roux	267
<i>A Case-Study of Internet Publishing</i> A Morris	271
<i>The Role of IT in Business Process Reengineering</i> C Blewett, J Cansfield and L Gibson	285

## **Abstracts**

<i>On Total Systems Intervention as a Systemic Framework for the Organisation of the Model Base of a Decision Support Systems Generator</i> D Petkov and O Petkova	299
<i>Modular Neural Networks Subroutines for Knowledge Extraction</i> A Vahed and I Cloete	300
<i>Low-Cost Medical Records System: A Model</i> O A Daini and T Seipone	301
<i>A Methodology for Integrating Legacy Systems with the Client/Server Environment</i> M Redelinghuys and A L Steenkamp	302
<i>Information Systems Outsourcing and Organisational Structure</i> M Hart and Kvavatzandis	303
<i>The relational organisation model</i> B Laauwen	304
<i>The Practical Application of a New Class of Non-Linear Smoothers for Digital Image Processing</i> E Cloete	305
<i>A Technology Reference Model for Client/Server Software Development</i> R C Nienaber	306
<i>The Feasibility Problem in the Simplex Algorithm</i> T G Scott, J M Hattingh and T Steyn	307
<b>Author Index</b>	309

## List of Contributors

**Vladimir B Bajic**  
Centre for Engineering Research,  
Technikon Natal,  
P O Box 953  
Durban 4000

**C N Blewett**  
Department of Accounting  
University of Natal  
King George V Avenue  
Durban 4001

**Justin Cansfield**  
Department of Accounting  
University of Natal  
King George V Avenue  
Durban 4001

**Tom Considine**  
Apron Services (Pty) Ltd  
P O Johannesburg  
International Airport  
1600

**Eric Cloete**  
School of Electrical Engineering  
Cape Technikon  
Box 652  
Cape Town

**I Cloete**  
Computer Science Department  
University of Stellenbosch  
Stellenbosch  
7600

**O A Daini**  
Department of Computer Science  
University of Botswana  
Gaborone  
Botswana

**Nirvani Devcharan**  
Umgeni Water  
Box 9  
Pietermaritzburg  
3200

**P J A de Villiers**  
Department of Computer Science  
University of Stellenbosch  
Stellenbosch  
7700

**Ruth de Villiers**  
Department of Computer Science and  
Information Systems  
UNISA  
Box 392, Pretoria, 0001

**G J Erwin**  
Business Information Systems  
University of Durban-Westville  
Private Bag X54001  
Durban 4000

**G Ganchev**  
Computer Science Department  
University of Botswana  
PBag 0022  
Gaberone, Botswana

**J Geldenhuys**  
Department of Computer Science  
University of Stellenbosch  
Stellenbosch  
7700

**Louise Gibson**  
BIS, Dept Accounting & Finance  
University of Durban  
Pvt Bag X10  
Dalbridge 4014

**Mike Hart**  
Department of Information Systems  
University of Cape Town  
Rondebosch  
7700

**M. Hajek**  
Department of Computer Science  
University of Durban-Westville  
Pvt Bag X54001  
Durban 4000

**A C Hansen**  
Dept of Agricultural Engineering  
University of Natal  
Private Bag X01  
Scottsville 3209

**J M Hattingh**  
Department of Computer Science  
Potchefstroom University for CHE  
Potchefstroom 2520



**Boris Jankovic**  
Centre for Engineering Research  
Technikon Natal  
P O Box 953,  
Durban 4000

**Paula Kotze**  
Department of Computer Science and  
Information Systems  
UNISA  
Box 392  
Pretoria, 0001

**J W Kruger**  
Vista University  
Soweto Campus  
Box 359  
Westhoven 2124

**A C Leonard**  
Dept of Informatics  
University of Pretoria  
Pretoria  
2000

**Ben Laauwen**  
Laauwen and Associates  
P O Box 13773  
Sinoville  
0129

**Mari Le Roux**  
Information technology, development: project  
leader  
Telkom IT 1015  
Box 2753  
Pretoria 0001

**P W L Lyne**  
Dept of Agricultural Engineering  
University of Natal  
Private Bag X01  
Scottsville 3209

**Rose Mazhindu-Shumba**  
Computer Science Department  
University of Zimbabwe  
Box MP167  
Harare, Zimbabwe

**Meredith McLeod**  
Centre for Engineering Research,  
Technikon Natal,  
P O Box 953  
Durban 4000

**D Moodley**  
Computer Management Systems  
Box 451  
Umhlanga Rocks  
4320

**Andrew Morris**  
P O Box 34200  
Rhodes Gift  
7707

**R C Nienaber**  
Technikon Pretoria  
Dept of Information Technology  
Private Bag X680  
Pretoria 0001

**E Parkinson**  
Department of Computer Science  
University of Port Elizabeth  
Box 1600  
Port Elizabeth 6000

**Don Petkov**  
Department of Computer Science and  
Information Systems  
University of Natal  
PBag x01  
Scottsville 3209

**Olga Petkov**  
Technikon Natal  
Box 11078  
Dorpspruit 3206  
Pietermaritzburg

**N Pillay**  
Technikon Natal  
Box 11078  
Dorpspruit 3206  
Pietermaritzburg

**V Ram**  
Department of Computer Science and  
Information Systems  
University of Natal  
PBag x01  
Scottsville 3209

**Melinda Redelinghuys**  
Department of Computer Science and  
Information Systems  
UNISA  
Box 392  
Pretoria, 0001

**Karen Renaud**  
Computer Science and Information Systems  
UNISA  
Box 392  
Pretoria, 0001

**H N Roux**  
Department of Computer Science  
University of Stellenbosch  
Stellenbosch  
7700

**T G Scott**  
Department of Computer Science  
Potchefstroom University for CHE  
Potchefstroom  
2520

**T Seipone**  
Department of Computer Science  
University of Botswana  
Gaborone  
Botswana

**Derek Smith**  
Department of Information Systems  
University of Cape Town  
Rondebosch  
7700

**Anette L Steenkamp**  
Department of Computer Science and  
Information Systems  
UNISA  
Box 392  
Pretoria, 0001

**T Steyn**  
Department of Computer Science  
Potchefstroom University for CHE  
Potchefstroom 2520

**H. Suleman**  
Department of Computer Science  
University of Durban-Westville  
Pvt Bag X54001  
Durban 4000

**A Vahed**  
Department of Computer Science  
University of Western Cape  
Private Bag X17  
Bellville 7530

**A Van der Merwe**  
Computer science and Informations Systems  
UNISA  
P O Box 392  
Pretoria,0001

**Tjaart J Van Der Walt**  
Foundation for Research and Development  
Box 2600  
Pretoria, 0001

**K Vavatzandis**  
Department of Information Systems  
University of Cape Town  
Rondebosch  
7700

**Y Velinov**  
Dept Computer Science  
University of Natal  
Private Bag X01  
Scottsville 3209

**H Venter**  
Department of Computer Science  
University of Port Elizabeth  
Box 1600  
Port Elizabeth 6000

**H L Viktor**  
Computer Science Department  
University of Stellenbosch  
Stellenbosch  
7600

**R Von Solms**  
Department of Information Technology  
Port Elizabeth Technikon  
Private Bag X6011  
Port Elizabeth 6000

**A J Walker**  
Software Engineering Applications  
Laboratory  
Electrical Engineering  
University of Witwatersrand  
Johannesburg

**Max Watzenboeck**  
University of Botswana  
Private Bag 0022  
Gaberone  
Botswana

**P Warren**  
Computer Science Department  
University of Natal  
P/Bag X01  
Scottsville 3209

# COBIE: AN INTEGRATED COBOL ENVIRONMENT

N.Pillay

Department of Financial Studies  
Technikon Natal - Pietermaritzburg

## Abstract

Development software is one of the courses that first year students studying towards a Diploma in Financial Studies enrol for. This course contains an appreciable amount of RMCOBOL programming. Past experience is indicative of the fact that students seem to have difficulty programming in RMCOBOL. This paper looks at some of the problems experienced by these students and describes COBIE, a Cobol Integrate Environment, developed to assist students overcome these problems. Furthermore the paper provides a description of the students experience with COBIE. Attention is also given to the effect that a student's learning style may have on the difficulty experienced by a student in using COBIE. Finally ways in which COBIE can be extended to meet the needs of novice computer programmers is examined.

## Introduction

As part of the course on software development first year Financial Studies Students are required to complete a course on COBOL programming. These students, majority of whom are novice computer users, experience much difficulty in programming in RMCOBOL. This paper firstly provides an account of the problems experienced by these students. It then goes on to illustrate how a phased development of a programming environment can possibly provide a means of overcoming the problems experienced by students.

On outline of each of the phases involved in the development of this programming environment is then provided. A detailed description of the first phase of the development of COBIE is given. This description firstly examines the facilities provided by COBIE and then gives an account of the students' experiences with COBIE.

Finally further extensions to the system in order to meet the needs of these novice programmers is reviewed.

## Problems Encountered

The problems experienced by students are two-fold:

### Problem 1 :

Students experienced difficulty in using the RMCOBOL system. In order to create, run and compile COBOL programs using RMCOBOL the following procedure had to be followed:

1. The user had to create the source and data files in an editor or wordprocessor of his or her choice.
2. The user had to then evoke the RMCOBOL Compiler at the command line.
3. Step 2 resulted in a compiler listing either being scrolled across the screen or being written to a list file if the user specified this option.
4. To view the list file the user would have to again use an editor or word processor of his or her choice.
5. Based on the listing described in steps 3 and 4 the user would then have to correct any errors listed by the compiler in the source code.
6. Finally the user would call the program RUNCOBOL at the DOS prompt to run the COBOL program.

As a result these students, being novice computer users experienced much difficulty in just creating, editing, compiling and running RMCOBOL programs. Students found the procedure that had to be followed to complete these tasks difficult to use and remember.

### **Problem 2:**

Students experienced much difficulty and frustration in programming in COBOL. Barstow et al [BARS84] define this as a "complexity barrier" which hampers the productivity of novice programmers. According to Barstow et al this barrier can best be broken by building large programming support systems called programming environments.

A possible solution to **Problem 1** is for students to use **RMCCOSTAR** which is a RMCOBOL project manager and editor from which COBOL programs can be edited, compiled, run and debugged. Reasons for not using **RMCCOSTAR** include the following:

- **RMCCOSTAR** is generally not sufficiently user friendly for novice computer users. For example files are stored according to projects which can lead to these confusion.
- It would not be possible to extend the **RMCCOSTAR** system in order to provide a solution to the difficulties specified in **Problem 2**.

### **Proposed Solution**

According to Teitelman et al [BARS84] a programming environment that is "cooperative and helpful" will prevent a novice programmer from spending most of his or her "time and energy fighting a system that at times seems bent on frustrating his best efforts". Hence based on the literature surveyed it was decided that a possible solution to the **Problem 2** defined above would be to develop a programming environment which these novice programmers would be "comfortable" using. Examples of such programming environments already in existence include Cedar which was developed from the Mesa environment, Pecan, Pict, and the Cornell Program Synthesiser just to name a few.

The foundation of the programming environment to be developed would be an integrated environment which would help users overcome the difficulties specified in **Problem 1**.

According to Teitelman et al [BARS84] the contribution made by users in terms of suggestions of improvements that should be made to Interlisp and facilities that should be provided by the Interlisp Programming Environment have proven invaluable. Hence throughout this study much emphasis will be placed on user feedback.

The development of COBIE will be undertaken in three phases:

#### **Phase 1:**

1. The development of an integrated environment that enables the user to edit, compile, and run COBOL programs in an attempt to provide a solution to **Problem 1**.
2. Evaluation of this environment.

#### **Phase 2:**

1. During this phase improvements will be made to COBIE based on the evaluation in Phase 1.
2. According to Barstow et al [BARS84] a programming environment must combine the powers of

a compiler, an editor, a debugging system, a documentation system and a problem solver. COBIE will be extended to provide a debugger and documentation. During the process of debugging users will be able to make necessary changes to the source code.

3. Evaluation of the extended system.

### Phase 3:

1. Improvements made to the system based on the evaluation in Phase 2.
2. Additional mechanisms need to be added to COBIE to assist students to program in COBOL. The following mechanisms will be examined in order to extend COBIE to an environment in which these novice programmers are "comfortable" programming in:

- In their description of an integrated Prolog Programming Environment Schreweis et al [SCHR93] emphasise that an "UNDO" option should be available to users. The importance of an "UNDO" option is still further emphasised in Teitelman et al's description of the Interlisp programming environment [BARS84].

- An automatic error correction facility:

Teitelman et al in their paper "Automated Programming: The Programmer's Assistant" [BARS84] describe DWIM a mechanism for automatically correcting trivial errors made by programmers such as spelling mistakes and punctuation errors. The importance of such a facility is further stressed by the developers of the Interlisp environment.

- Barstow et al [BARS84] emphasise that "In writing a program, the user should not need to be continually concerned with the exact form of the structures being used."

This idea forms the basis of the Cornell Program Synthesizer (CPS). CPS is a programming environment that provides users with templates of the grammars of each simplified statement of a programming language. All the user has to do is provide the arguments or expressions at a cursor position in these templates. The use of such COBOL templates in COBIE will be looked at.

- Question and answering:

Barstow et al [BARS94] describe a question and answering technique to help users identify the effects of making certain changes in their programs prior to making these changes.

- An interactive browser to display various views of the current state of computation of a program.
- According to Schreweis [SCHR93] "The human mind is strongly visual oriented and acquires information at a significantly higher rate by discovery of graphical relationships in complex pictures than by reading text". The significance of the use of visual environments is further stressed by Shu [GLIN90] who states that pictures are more powerful than words as a means of communication.

An example of a visual environment is PECAN. Shu describes PECAN as a system which supports multiple views of a user's program. These views include a syntax directed editor, a Nassi-Schneiderman flowchart, a module interconnection diagram of how the program is organised, and stack data view showing the current state of the data stack.

Other examples of visual environments include Pict, PIGS and Xerox Star System. The effect of COBIE being extended to a visual environment based on the above examples will be examined.

Various monitoring mechanisms similar to those described by Barstow et al [BARS84] to keep track of statistics regarding the utilization of the facilities provided by COBIE at each stage in this phase will be built

into the system.

## **Cobol Integrated Environment (COBIE)**

The integrated environment developed to meet the objectives of Phase 1 described above was created using Turbo Vision and is similar to the Integrated Development Environment (IDE) provided by Turbo Pascal.

### **System Specifications**

COBIE, like RMCOBOL, is a DOS based system which can be run on any IBM compatible microcomputer.

### **COBIE Interface**

The COBIE interface consists of three components namely a pull down menu, a status bar and a desktop.

According to Kay [GLIN90] multiple windows that have the following characteristics:

- displays associated with several user tasks which could be viewed simultaneously;
- switching between tasks must be done with the press of a button;
- no information will be lost in the process of switching; and
- screen space would be used economically;

formed the basis of an "integrated environment. COBIE provides users with this multiple window facility in which to implement the necessary tasks required.

### **Facilities Offered by COBIE**

The pull down menu which forms part of the COBIE interface is comprised of three submenus namely **File**, **Cobol**, and **View**.

The **File** submenu provides the user with the option of creating new source and data files or editing existing files, and saving these files.

The **Cobol** submenu provides the user with a **Compile** and **Run** option. Upon choosing the **Compile** option the user is prompted to confirm the name of the file to be compiled. The RMCOBOL compiler is then evoked. Thereafter the user's screen is divided into two windows:

- one containing the source program; this window contains a line number indicator to assist the user find any errors indicated in the compiler listing;
- one containing the listing produced by the compiler.

The user can switch between the two windows and hence correct errors specified in the compiler listing in the source code. The **Run** option results in the RMCOBOL program **RUNCOBOL** being implemented. Upon choosing the **Run** option the user is required to confirm the name of the COBOL file to be run.

The **View** submenu provides the user with the options of viewing a particular compiler listing or a report file that has been created as the result of running a specific COBOL program.

## Evaluation of the COBIE System

"Hands-on" sessions with COBIE were held during which students were required to firstly make minor changes to two COBOL programs and then compile and run these programs. In order to evaluate the COBIE environment at the end of these sessions students were issued with questionnaire. Eighteen students of the twenty two enrolled for the course completed and returned the questionnaire. This questionnaire was designed based on that used by Glinert et al [GLIN90] in their student evaluation of the Pict system. A list of the questions contained in the questionnaire are listed in Table 1.

**Table 1 : Evaluation Questionnaire**

1.	Have you found the program easy to use? Explain
2.	Could you easily remember the steps that were required to carry the necessary tasks?
3.	Did you find the program fun to use?
4.	Would you like to use the program again?
5.	What improvements do you think should be made to the program?
6.	List any problems that you have experienced.
7.	Describe your experience of using the program.
8.	Any other comments

To obtain a measure of the effect of students' learning styles prior to the use of the system a survey was conducted using Kolb's Inventory to determine the learning styles of these students. Nineteen of the twenty two students enrolled for the course completed and returned the questionnaires.

In order to obtain a correlation between a student's learning style and his or her experience with COBIE only the feedback of those students that responded to both questionnaires was examined. Sixteen students responded to both questionnaires of which nine were female and seven male.

### Responses to questionnaire

Table 2 lists the responses to the first four questions:

**Table 2: Responses to questionnaire**

QUESTION NUMBER	YES	NO	UNSURE	NO RESPONSE
1	9	7	-	-
2	12	2	2	-
3	10	5	-	1
4	15	-	-	1

From Table 2 it is clear that a majority of the students found the COBIE system easy to use. Comments made by students included:

"The program eliminated time wasting and irritating procedures."

"Steps were not difficult."

"Easy to grasp, understand and remember."



However seven students did not find the program easy to use. Comments made by these students included "as time goes on it will be easier"; "Not easy - because it was my first time to use it". This is consistent with responses obtained by Glinert et al [GLIN90] in the evaluation of the Pict system. Students attributed the lack of ease of use of the Pict system to the fact that it was the first time that they were using the system.

It is evident from **Table 2** that again a majority of students found that they could easily remember the steps that were required to edit, compile and run COBOL programs using COBIE.

All students with the exception of one student who did not respond to this question indicated that they definitely wanted to use the COBIE system again.

Two problems were listed by students:

1. Firstly due to COBIE being used in a network environment students were prompted to "Insert a disk in drive A:" four times during the compilation process. This made compiling of a program rather tedious and frustrating.
2. Secondly if a compiler listing of a source program could not be created a blank window was displayed on the screen by COBIE and this window could not be "closed".

Improvements mentioned by students were based on these two problems experienced.

Comments describing the students experience with COBIE included:

"It was most educational."

" I found it interesting and fun to use. The steps were easy to remember, however I experienced some difficulties when trying to compile my program."

"Challenging"

"At the moment the program is fine because I understand what we've done at this point in time."

Only five students provided any additional comments. This comments emphasised that students required more practical sessions with COBIE.

### **The Effect of Learning Styles on the ease of use of COBIE**

Finnie [FINN90] defines four learning styles namely, Converger, Diverger, Assimilator and Accommodator as derived by Kolb. From the study conducted it was found that students who responded positively to the questions "Have you found the program easy to use?" and "Could you easily remember the steps that were required to carry out the necessary tasks?" predominately possessed a the Converger or Accommodator learning style. Those students that responded negatively to these questions predominately possessed either a Diverger or Assimilator learning style. Hence it is evident that students possessing a Converger or Accommodator learning style experience less difficulties in using the integrated COBOL environment compared to students possessing a Diverger or Assimilator learning style.

### **Conclusion**

From the study conducted it is evident that the COBIE system has helped novice programmers overcome some of the difficulties experienced with using the RMCOBOL system. Certain improvements have been made to COBIE based on the feedback obtained from students. Currently the COBIE system is being used by first year students to write COBOL programs.

COBIE will be extended further to provide a debugging and documentation system. Finally a number of

mechanisms (as outlined above) such as the use of syntactical templates and visual programming environments will be examined in order to obtain a means by which these novice programmers can be assisted to program in COBOL.

## References

- [BARS84] - **Interactive Programming Environments**, David R. Barston, Howard E. Shrobe, Erik Sandewill, McGraw Hill, 1984.
- [DONA85] - **Integration Techniques in Cedar**, James Donahue, Sigplan Notices, Vol 20, No 7, July 1985, Pages 265 - 286.
- [FINN90] - **On Learning Styles and Novice Computer Use**, G.R. Finnie, Quaestiones Informaticae, Vol 5., No. 1, 1990, Pages 1- 10.
- [GLIN90] - **Visual programming Environments - Paradigms and Systems**, E.P. Glinert, IEEE Computer Society Press, 1990.
- [SCHR93] - **An Integrated Prolog Programming Environment**, U. Schreiweis, A Keune, H. Langendorfer, ACM Sigplan Notices, Vol. 28, Part 2, 1993.
- [SWEE85] - **The Mesa Programming Environment**, R.E. Sweet, Sigplan Notices, Vol. 20, No.7, July 1985, Pages 216-229.

